

**SITE SAFETY AND HEALTH PLAN (SSHP)  
FOR**

SITE NAME: Test Grid, Fort McClellan, AL

SITE LOCATION: Fort McClellan, AL

PURPOSE OF VISIT: To Perform Geophysical Surveys by Contractor Personnel for Possible Contract Award

SSHP PREPARED BY: Henry C. Hubbard Jr.

OFFICE: CEHNC-OE-ES-C

ADDRESS: 4820 University Drive, Huntsville, AL

PHONE: 256-895-1586

DATE PREPARED: 25 January 1999

SIGNATURE: \_\_\_\_\_ DATE: 25 Jan 99

---

---

SSHP REVIEWED/APPROVED BY:

CEHNC SAFETY OFFICER: \_\_\_\_\_ DATE: \_\_\_\_\_

\_\_\_\_\_ DATE: \_\_\_\_\_

**NOTE: THIS SSHP IS TO BE USED ONLY FOR NON-INTRUSIVE ACTIVITIES, AND IT MUST BE APPROVED BY THE SAFETY OFFICE PRIOR TO THE START OF THE FIELD VISIT. ALL TEAM MEMBERS MUST READ AND COMPLY WITH THE SSHP AND ATTEND THE SAFETY BRIEFING AT THE BEGINNING OF EACH DAY. THE SSHP SHALL ENSURE THE SAFETY BRIEFING CHECKLIST AND THE PLAN ACCEPTANCE FORMS ARE FILLED OUT PRIOR TO THE START OF THE DAY-S ACTIVITIES.**

ATTACHMENT H

**SITE DESCRIPTION AND PREVIOUS INVESTIGATION  
(ATTACH A SITE MAP TO THE SSHP)**

**A. SITE DESCRIPTION:**

SIZE: 1.5 acres

PRESENT USAGE (CHECK ALL THAT APPLY)

- |  |                                       |  |
|--|---------------------------------------|--|
| <input checked="" type="checkbox"/> MILITARY | <input type="checkbox"/> RECREATIONAL | <input type="checkbox"/> OTHER (SPECIFY) |
| <input type="checkbox"/> RESIDENTIAL         | <input type="checkbox"/> COMMERCIAL   | <input type="checkbox"/> _____           |
| <input type="checkbox"/> NATURAL AREA        | <input type="checkbox"/> INDUSTRIAL   | <input type="checkbox"/> _____           |
| <input type="checkbox"/> AGRICULTURAL        | <input type="checkbox"/> LANDFILL     | <input type="checkbox"/> _____           |
| <input type="checkbox"/> SECURED             | <input type="checkbox"/> ACTIVE       | <input type="checkbox"/> UNKNOWN         |
| <input type="checkbox"/> UNSECURED           | <input type="checkbox"/> INACTIVE     |  |

**B. PAST USES: RANGE 16 IS A KNOWN IMPACT AREA AND TARGET RANGE.**

**C. SURROUNDING POPULATION**

- |   |                                      |  |
|---|--------------------------------------|--|
| <input checked="" type="checkbox"/> RURAL | <input type="checkbox"/> RESIDENTIAL | <input type="checkbox"/> OTHER (SPECIFY) |
| <input type="checkbox"/> URBAN            | <input type="checkbox"/> INDUSTRIAL  | <input type="checkbox"/> _____           |
|   | <input type="checkbox"/> COMMERCIAL  | <input type="checkbox"/> _____           |

**D. PREVIOUS SAMPLING/INVESTIGATION RESULTS**

1. OE ENCOUNTERED

LOCATION: RANGE 16	DESCRIPTION: LAW Rockets, Sub-caliber LAW, 3.5" rockets (HE, HEAT, PRAC), 40mm Gren (HE, PRAC)
--------------------	--

2. SAMPLES (BE SPECIFIC) (AIR, WATER, SOIL, VEGETATION)

CHEMICAL	CONCENTRATION	MEDIA	LOCATION
NONE			

(None taken to date-IF APPLICABLE)

II. DESCRIPTION OF ON-SITE ACTIVITIES (CHECK ALL THAT APPLY)

- |  |  |  |
|--|--|--|
| <input checked="" type="checkbox"/> WALK THROUGH | <input type="checkbox"/> DRIVE THROUGH       | <input checked="" type="checkbox"/> OTHER(SPECIFY) |
| <input type="checkbox"/> ON ROAD                 | <input checked="" type="checkbox"/> OFF ROAD | Geophysical Act                                    |
| <input type="checkbox"/> ON PATH                 | <input type="checkbox"/> OFF PATH            | _____  |
| <input type="checkbox"/> OTHER                   | <input type="checkbox"/> OTHER               | _____  |

ACTIVITIES/TASKS TO BE PERFORMED (SUMMARIZE):The area within Range 16 has been surface cleared by Military EOD, has had the grid Aseeded@ by USACE personnel, and will be geophysically surveyed and mapped by an unknown number of offerors on the Ft. McClellan Contract Acquisition Plan. All of the on-site activites will be monitored by CEHNC Safety Specialist(s) and assisted by CEHNC-ED personnel. The area to be surveyed will be clearly marked and areas outside of the marked area will be Aoff-limits@ for ALL personnel except for the USACE Safety Specialists. Any contractor personnel caught in the off-limits area will be escorted back into the test grid area the first time. Subsequent occurrences will not be tolerated and the contractor will be escorted back to the staging area, regardless of the status of their geophysical activities.

III. SITE PERSONNEL AND RESPONSIBILITIES:

USACE

PROJECT MANAGER: David Skridulis

OFFICE: CEHNC-PM-ED

ADDRESS: 4820 University Square, Huntsville, AL 35816

PHONE: (256) 895-1468

RESPONSIBILITIES: Project Manager, overall direct responsibility for the project

**TEAM LEADER:** Valerie Clinkenbeard

OFFICE: CEHNC-ED

ADDRESS: 4820 University Square, Huntsville, AL

PHONE: 256-895-1622

RESPONSIBILITIES: Lead Technical individual for the site visit, briefs personnel on tasks to be performed.

**SAFETY OVERSIGHT:** Henry Hubbard

OFFICE: CEHNC-OE-ES

ADDRESS: 4820 University Square, Huntsville, AL

PHONE: 256-895-1586

RESPONSIBILITIES: Implements this SSHP. Monitors personnel to ensure compliance with the procedures within this SSHP. Conducts and documents daily safety briefings. Maintains safety records and makes prompt reporting of all accidents/incidents. Immediately halts operations that are considered unsafe and makes on the spot corrections.

**FIRST AID/CPR CERTIFIED**

(IF APPLICABLE) None

OFFICE:

ADDRESS:

PHONE:

RESPONSIBILITIES:

**TEAM MEMBERS \***  
**(OTHER THAN THOSE MENTIONED ABOVE)**

<u>NAME</u>	<u>RESPONSIBILITY</u>
<u>Robert Selfridge</u>	<u>Primary Geophysics Coordinator</u>

**IV. HAZARD ANALYSIS**

A. SAFETY AND HEALTH HAZARDS ANTICIPATED

CHEMICAL. Be alert for any odors, colors, or liquids. If any unknown is encountered vacate the area and move to an area upwind.

ORDNANCE. Be alert for UXO or UXO-related scrap. If an unknown item is discovered, do not disturb, move or touch the item. Refer to paragraph D.1 (OE encountered).

- |   |   |   |
|---|---|---|
| <input checked="" type="checkbox"/> HEAT STRESS | <input type="checkbox"/> COLD STRESS                | <input checked="" type="checkbox"/> TRIP HAZARD |
| <input type="checkbox"/> NOISE                  | <input type="checkbox"/> ELECTRICAL                 | <input type="checkbox"/> FALLING OBJECTS        |
| <input checked="" type="checkbox"/> FOOT HAZARD | <input checked="" type="checkbox"/> BIOLOGICAL      | <input type="checkbox"/> OVERHEAD HAZARD        |
| <input type="checkbox"/> RADIOLOGICAL           | <input type="checkbox"/> CONFINED SPACE             | <input type="checkbox"/> WATER HAZARD           |
| <input type="checkbox"/> EXPLOSIVE              | <input checked="" type="checkbox"/> CLIMBING HAZARD | <input type="checkbox"/> OTHER                  |
| <input type="checkbox"/> FLAMMABLE              | <input type="checkbox"/> _____                      | <input type="checkbox"/> _____                  |

B. OVERALL HAZARD EVALUATION:

HIGH       MODERATE  LOW       UNKNOWN

JUSTIFICATION: Intrusive operations will not occur.

**V. ACCIDENT PREVENTION**

GENERAL PRECAUTIONS: PRIOR TO THE ON-SITE VISIT, ALL TEAM LEADERS ARE REQUIRED TO READ THIS SSHP AND SIGN THE FORM ACKNOWLEDGING THEY HAVE READ AND WILL COMPLY WITH IT. IN ADDITION, THE USACE SAFETY SPECIALIST SHALL HOLD A DAILY SAFETY BRIEFING AT THE START OF THE DAY-S ACTIVITIES IN WHICH SITE SPECIFIC TOPICS REGARDING THE DAYS ACTIVITIES WILL BE DISCUSSED. THE BUDDY SYSTEM WILL BE ENFORCED AT ALL TIMES. IF

UNANTICIPATED HAZARDOUS CONDITIONS ARISE, TEAM MEMBERS ARE TO STOP WORK, LEAVE THE IMMEDIATE AREA AND NOTIFY THE USACE SAFETY SPECIALIST.

**VI. STANDARD OPERATING SAFETY PROCEDURES, ENGINEERING CONTROLS, AND WORK PRACTICES**

A. SITE RULES/PROHIBITIONS: AT ANY SIGN OF UNANTICIPATED HAZARDOUS CONDITIONS, STOP TASKS, LEAVE THE IMMEDIATE AREA AND NOTIFY THE SSO. SMOKING, EATING, AND DRINKING ARE ALLOWED IN DESIGNATED AREAS ONLY. (Outside of the test grid on the roadway, practice good housekeeping for cigarette butts and generated garbage)

B. MATERIAL HANDLING PROCEDURES: DO NOT HANDLE

C. DRUM HANDLING PROCEDURES: DO NOT HANDLE

D. CONFINED SPACE ENTRY: DO NOT ENTER

E. IGNITION SOURCE AND ELECTRICAL PROTECTION: SMOKE IN DESIGNATED AREAS ONLY.

F. SPILL CONTAINMENT: NA

G. EXCAVATION SAFETY: DO NOT ENTER TRENCHES/EXCAVATIONS.

H. ILLUMINATION: WORK DURING DAYLIGHT HOURS ONLY.

I. SANITATION: USE EXISTING SANITARY FACILITIES.

J. BUDDY SYSTEM: TWO PERSONS ON-SITE MAINTAINING CONTACT WITH EACH OTHER. THIS SHOULD BE ADHERED TO AT ALL TIMES.

K. ENGINEERING CONTROLS: NA

L. HEAT STRESS/COLD STRESS: DRESS APPROPRIATELY. TAKE SUFFICIENT BREAKS AND DRINK PLENTY OF FLUIDS. WATCH FOR SIGNS/SYMPTOMS OF COLD/HEAT STRESS. MONITORING MAY BE APPLICABLE DEPENDING UPON SITE WEATHER CONDITIONS AND TYPE OF PPE WORN.

M. ORDNANCE

1. GENERAL INFORMATION

A. THE CARDINAL PRINCIPLE TO BE OBSERVED INVOLVING EXPLOSIVES, AMMUNITION, SEVERE FIRE HAZARDS OR TOXIC MATERIALS IS TO

LIMIT THE EXPOSURE OF A MINIMUM NUMBER OF PERSONNEL FOR THE MINIMUM AMOUNT OF TIME TO A MINIMUM AMOUNT OF HAZARDOUS MATERIAL CONSISTENT WITH A SAFE AND EFFICIENT OPERATION.

B. THE AGE OR CONDITION OF AN ORDNANCE ITEM DOES NOT DECREASE ITS EFFECTIVENESS. ORDNANCE THAT HAS BEEN EXPOSED TO THE ELEMENTS FOR EXTENDED PERIODS OF TIME BECOME MORE SENSITIVE TO SHOCK, MOVEMENT, AND FRICTION BECAUSE THE STABILIZING AGENT IN THE EXPLOSIVES MAY BE DEGRADED.

C. WHEN CHEMICAL AGENTS MAY BE PRESENT, FURTHER PRECAUTIONS MAY BE NECESSARY. IF THE MUNITION ITEM HAS GREEN MARKINGS, LEAVE THE AREA IMMEDIATELY. IT MAY CONTAIN A CHEMICAL FILLER.

D. CONSIDER ORDNANCE THAT HAS BEEN EXPOSED TO FIRE AS EXTREMELY HAZARDOUS. CHEMICAL AND PHYSICAL CHANGES MAY HAVE OCCURRED TO THE CONTENTS WHICH MAY RENDER IT MORE SENSITIVE THAN IT WAS IN ITS ORIGINAL STATE.

2. ON-SITE INSTRUCTIONS (**IMMEDIATELY NOTIFY THE ON-SITE USACE SAFETY SPECIALIST**)

A. **DO NOT** TOUCH OR MOVE ANY ORDNANCE ITEMS REGARDLESS OF THE MARKINGS OR APPARENT CONDITION.

B. DO NOT VISIT AN ORDNANCE SITE IF AN ELECTRICAL STORM IS OCCURRING OR APPROACHING. IF A STORM APPROACHES DURING A SITE VISIT, LEAVE THE SITE IMMEDIATELY AND SEEK SHELTER.

C. DO NOT USE RADIO OR CELLULAR PHONES IN THE VICINITY OF SUSPECT ORDNANCE ITEMS.

D. DO NOT WALK ACROSS AN AREA WHERE THE GROUND CANNOT BE SEEN. IF DEAD VEGETATION OR ANIMALS ARE OBSERVED, LEAVE THE AREA IMMEDIATELY DUE TO THE POTENTIAL CONTAMINATION OF A CHEMICAL AGENT.

E. DO NOT DRIVE VEHICLES INTO A SUSPECT OE AREA, USE CLEARLY MARKED LANES.

F. DO NOT CARRY MATCHES, CIGARETTES, LIGHTERS OR OTHER FLAME PRODUCING DEVICES INTO AN OE SITE.

G. DO NOT RELY ON COLOR CODES FOR POSITIVE IDENTIFICATION OF ORDNANCE ITEMS OR THEIR CONTENTS.

H. APPROACH ORDNANCE ITEMS FROM THE SIDE, AVOID APPROACHING FROM THE FRONT OR REAR AREAS.

I. ALWAYS ASSUME ORDNANCE ITEMS CONTAIN A LIVE

CHARGE UNTIL IT CAN BE DETERMINED OTHERWISE.

**3. SPECIFIC ACTIONS ON LOCATING ORDNANCE**

A. DO NOT TOUCH, MOVE, OR JAR ANY ORDNANCE ITEM, REGARDLESS OF ITS APPARENT CONDITION.

B. APPROACH THE ITEM CAUTIOUSLY. TAKE PHOTOGRAPHS AND A FULL DESCRIPTION. TAKE NOTES OF THE MARKINGS OR ANY OTHER IDENTIFIERS.

C. DO NOT BE MISLED BY MARKINGS ON THE ORDNANCE ITEM STATING "PRACTICE BOMB", "DUMMY", OR "INERT". EVEN PRACTICE BOMBS HAVE EXPLOSIVE CHARGES THAT ARE USED TO MARK/SPOT THE POINT OF IMPACT OR THE ITEM COULD BE MISMARKED.

D. DO NOT ROLL THE ITEM OVER OR SCRAPE THE ITEM TO IDENTIFY THE MARKINGS.

E. THE LOCATION OF ANY ORDNANCE ITEMS FOUND DURING SITE ACTIVITIES SHOULD BE CLEARLY MARKED SO IT CAN BE EASILY LOCATED AND AVOIDED.

F. THE USACE SAFETY SPECIALIST SHOULD BE NOTIFIED IMMEDIATELY UPON LOCATION OF ANY ORDNANCE.

G. IF IT BECOMES NECESSARY TO DRIVE ANY STAKES INTO THE GROUND, YOU WILL NOTIFY THE CEHNC SAFETY SPECIALIST ON-SITE BEFORE YOU DRIVE THE STAKE INTO THE GROUND. THE SAFETY SPECIALIST WILL CHECK THE AREA WITH A SENSOR PRIOR TO GIVING YOU PERMISSION TO DRIVE THE STAKE INTO THE GROUND.

**VII. SITE CONTROL AND COMMUNICATIONS:**

A. SITE MAP: ATTACH COPY

B. SITE WORK ZONES: NA

C. BUDDY SYSTEM: TO BE ADHERED TO AT ALL TIMES.

D. COMMUNICATIONS

1. ON-SITE: VERBAL COMMUNICATIONS WILL BE USED AMONG TEAM MEMBERS TO COMMUNICATE TO EACH OTHER ON-SITE. IF THIS COMMUNICATION IS NOT POSSIBLE, HAND SIGNALS SHALL BE DEVELOPED AND USED. SPECIFY BELOW:

A. GRIP PARTNERS WRIST OR GRASP AROUND THE WAIST - LEAVE

THE AREA IMMEDIATELY

- B. HAND GRIPPING NOSE - UNUSUAL SMELL DETECTED, LEAVE AREA
- C. THUMBS UP - I'M ALRIGHT OR I UNDERSTAND, OK
- D. THUMBS DOWN - NO, NEGATIVE

2. OFF-SITE: OFF SITE COMMUNICATIONS SHALL BE ESTABLISHED ON SITE. COMMUNICATIONS MAY BE ESTABLISHED BY USING ON-SITE CELLULAR PHONES OR BY RADIO CONTACT WITH RANGE CONTROL. THE USACE SAFETY SPECIALIST WILL MAINTAIN RADIO COMMUNICATIONS WITH RANGE CONTROL DURING FIELD OPERATIONS.

(X) CELLULAR PHONE (OTHER)HUBBARD-256-

(X) RADIO

3. EMERGENCY SIGNALS: IN THE CASE OF SMALL GROUPS, A VERBAL SIGNAL FOR EMERGENCIES SHALL SUFFICE. THE EMERGENCY SIGNAL FOR LARGE GROUPS (I.E. AIRHORN) SHOULD BE INCORPORATED AT THE DISCRETION OF THE USACE SAFETY SPECIALIST. MARK THE APPROPRIATE BOX.

(X) VERBAL

( ) NONVERBAL (SPECIFY)\_\_\_\_\_

#### VIII. EMERGENCY RESPONSE

A. TEAM MEMBERS ARE TO BE ALERT TO THE DANGERS ASSOCIATED WITH THE SITE AT ALL TIMES. IF AN UNANTICIPATED HAZARDOUS CONDITION ARISES, STOP WORK, EVACUATE THE IMMEDIATE AREA, AND NOTIFY THE USACE SAFETY SPECIALIST ON-SITE.

B. FIRST AID: A FIRST AID KIT AND EMERGENCY EYE WASH (AS APPLICABLE) WILL BE LOCATED IN THE USACE SAFETY SPECIALIST-S FIELD CAR. IF QUALIFIED PERSONS (IE. FIRE DEPARTMENT, MEDICAL FACILITY, OR PHYSICIAN) ARE NOT ACCESSIBLE WITHIN TEN MINUTES OF THE SITE, AT LEAST ONE TEAM MEMBER SHALL BE QUALIFIED TO ADMINISTER FIRST AID AND CPR.

#### C. EMERGENCY TELEPHONE NUMBERS:

1. MEDICAL FACILITY: 256-235-8900
2. FIRE DEPARTMENT: 256-237-3541
3. POLICE DEPARTMENT: 256-238-1800
4. POISON CONTROL CENTER: 1-800-292-6678
5. CEHNC SAFETY OFFICE: (256) 895-1580 OR 1582

(FOR EMERGENCIES INVOLVING THE DISCOVERY OF OE, CEHNC WILL CONTACT RANGE CONTROL, FT. McCLELLAN 256-848-3344/4966/3012.

6. LOCAL EOD: 722nd EOD - 256-235-4663 (ANNISTON)
7. PROJECT MANAGER: DAVID SKRIDULIS - 256-895-1468
8. OTHERS (LIST): 52nd Group - 404-362-5978/5953  
TEU-duty hours- 410-671-3601  
TEU-after hours-410-671-2773

D. HOSPITAL/MEDICAL FACILITY INFORMATION: Stringfellow Hospital, Anniston, AL.

NAME:Stringfellow Hospital

ADDRESS: 301 E. 18th Street

DISTANCE TO THE HOSPITAL: 4.5 miles

**ROUTE TO THE HOSPITAL:**Route to the hospital is: From the National Guard Armory on State Highway 21, go south **2** mile to E. 18th Street and the hospital is on the left.

#### **IX. MONITORING EQUIPMENT AND PROCEDURES**

##### A. EXPOSURE MONITORING

NONE

##### B. HEAT/COLD STRESS MONITORING

IF HEAT STRESS MONITORING IS NECESSARY, THE MONITORING CRITERIA PUBLISHED IN CHAPTER 8 OF THE NIOSH/OSHA/USCG/EPA "OCCUPATIONAL SAFETY AND HEALTH GUIDANCE MANUAL FOR HAZARDOUS WASTE SITE ACTIVITIES" (OCTOBER 1985) SHALL BE FOLLOWED. IF COLD STRESS MONITORING IS NECESSARY, IT SHALL BE CONDUCTED IN ACCORDANCE WITH THE MOST CURRENT PUBLISHED AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH) COLD STRESS STANDARDS.

#### **X. PERSONAL PROTECTIVE EQUIPMENT**

##### A. GENERAL

TYPICALLY, FOR NON-INTRUSIVE SITE VISITS, LEVEL D IS REQUIRED. HARD HATS SHALL BE WORN IF AN OVERHEAD HAZARD EXISTS, IN THIS INSTANCE, SAFETY SHOES WILL NOT BE WORN.

B. NON-INTRUSIVE SITE VISIT

LEVEL OF PROTECTION:

INITIAL:            ( )C            (X)D            ( )MODIFIED (SPECIFY)

CONTINGENCY:      ( )C            ( )D            ( )MODIFIED (SPECIFY)

(X) **EVACUATE THE SITE IF A HIGHER LEVEL OF PROTECTION IS NEEDED.**

**XI. DECONTAMINATION PROCEDURES**

DECONTAMINATION PROCEDURES ARE NOT ANTICIPATED FOR THESE SITE ACTIVITIES. TEAM MEMBERS ARE CAUTIONED NOT TO WALK, KNEEL, OR SIT ON ANY SURFACE WITH POTENTIAL LEAKS, SPILLS, OR CONTAMINATION. ALL PERSONNEL SHOULD PRACTICE PERSONAL HYGIENE (WASH AND RINSE HANDS AND FACE) AFTER PERFORMING OPERATIONS WITHIN THE TEST GRID.

**XII. TRAINING**

FOR THE PURPOSES OF THIS SSHP, THE ON-SITE REQUIREMENTS FOR COMPLIANCE WITH 29 CFR 1910.120(e)(3)(i-iv) (40 HOUR OSHA TRAINING REQUIREMENTS) HAS BEEN WAIVED, FOR THE CONTRACTORS, BY THE CHIEF OF THE OE SAFETY GROUP, MR. WAYNE GALLOWAY, HUNTSVILLE CENTER, PROVIDED THE FOLLOWING PARAMETERS ARE MET;

A. THE TEST GRID MUST HAVE HAD A SURFACE CLEARANCE PERFORMED ON IT.

B. THERE WILL BE ~~NO~~ INTRUSIVE ACTIVITIES OF ANY SORT ALLOWED IN THE TEST GRID.

C. ANY DRIVING OF STAKES INTO THE GROUND WILL BE PERFORMED USING ANOMALY AVOIDANCE PROCEDURES WITH USACE SAFETY PERSONNEL PROVIDING SAFETY OVERSIGHT AND CHECKING THE SPECIFIC AREA FOR THE CONTRACTOR PRIOR TO THE STAKE(S) BEING DRIVEN.

D. ALL PERSONNEL WILL BE ESCORTED AT ALL TIMES WITHIN THE TEST GRID BY A USACE SAFETY SPECIALIST.

**XIII. MEDICAL SURVEILLANCE PROGRAM**

NOT APPLICABLE

**XIV. LOGS, REPORTS, AND RECORD KEEPING**

SITE LOGS ARE MAINTAINED BY THE TEAM LEADER. THIS IS TO INCLUDE HISTORICAL DATA, PERSONNEL AUTHORIZED TO VISIT THE SITE, ALL RECORDS, STANDARD OPERATING PROCEDURES, AND THE SSHP SUBMITTED. ANY AIR MONITORING LOGS, SOPs, AND ATTACHMENTS TO PLANS.

**XV. GENERAL**

THE NUMBER OF PERSONS VISITING THE SITE SHALL BE HELD TO A MINIMUM. NO MORE THAN 8 PERSONS PER USACE SAFETY SPECIALIST SHALL BE ALLOWED ON-SITE, IN THE TEST GRID. THE MORE PERSONS ON-SITE, THE GREATER THE POTENTIAL FOR AN ACCIDENT. THE USACE SAFETY SPECIALIST MAY MODIFY THIS SSHP IF SITE CONDITIONS WARRANT AND WITHOUT RISKING THE SAFETY AND HEALTH OF THE TEAM MEMBERS. THIS MODIFICATION WILL BE COORDINATED WITH THE TEAM MEMBERS.

**SAFETY BRIEFING CHECKLIST  
(CHECK SUBJECTS DISCUSSED)**

Site Name:

Ft. McClellan, AL

Date/Time:

**GENERAL INFORMATION**

- ( ) PURPOSE OF THE VISIT
- ( ) IDENTIFY KEY SITE PERSONNEL
- ( ) TRAINING AND MEDICAL REQUIREMENTS

**SPECIFIC INFORMATION**

- ( ) SITE DESCRIPTION/PAST USES
- ( ) RESULTS OF PREVIOUS STUDIES
- ( ) POTENTIAL SITE HAZARDS
- ( ) OE SAFETY PROCEDURES
- ( ) SITE SOPS
- ( ) SITE CONTROL & COMMUNICATIONS
- ( ) EMERGENCY HAND SIGNALS
- ( ) EMERGENCY RESPONSE
  - ( ) LOCATION OF THE FIRST AID KIT
  - ( ) EMERGENCY PHONE NUMBERS & LOCATION
  - ( ) LOCATION OF THE NEAREST MEDICAL FACILITY
  - ( ) LOCATION OF MAP TO FACILITY
- ( ) PPE AND DECONTAMINATION

**STRESS THE FOLLOWING DURING THE BRIEFING:**

IF AN UNANTICIPATED HAZARDOUS CONDITION ARISES, STOP WORK, EVACUATE THE IMMEDIATE AREA AND NOTIFY THE SSHO.



SIGNATURE

DATE